




MAXIMUM FLUSHING SOLUTION



MAX XL is specially formulated with the following properties:

1. Pleasant Odor
2. Dissolves insecticide residues and sludge deposits
3. When cleaning it forms an anti-corrosion barrier on all metallic and non metallic surfaces

When using MAX XL you should follow the equipment manufacturers directions for cleaning and dispensing the solution

CAUTION: KEEP OUT OF REACH OF CHILDREN

IN CASE OF FIRE: Use foam, carbon dioxide, dry chemicals or water fog spray. Do not point solid stream of water directly at flame.

STORAGE & ENVIRONMENTAL PROTECTION: In case of spill prevent entry into sewers & waterways. Absorb with inert absorbant. Dispose of according to federal, state & local regulations.

FIRST AID

EYES: Flush with water until irritation subsides; If irritation persists seek medical attention.

SKIN: Remove contaminated clothing and shoes. Wash with soap and water. If irritation persists seek medical attention. Wash clothes before reusing. Discard contaminated leather.

INGESTION: If swallowed do not induce vomiting. Keep at rest and seek medical attention immediately.

INHALATION If overcome or affected by hot product, remove victim from exposure. Seek medical attention immediately. If not breathing use artificial respiration.

PRODUCT CODE	LOT NUMBER	QUANTITY	
MFP	Sample Label	5 GAL	0 00926 55102 0

"READ AND UNDERSTAND MSDS BEFORE HANDLING OR DISPOSING OF PRODUCT"

"EMPTY" CONTAINER WARNING "Empty" containers retain residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Do not attempt to clean since residue is difficult to remove. "Empty" drums should be completely drained, properly bunged and promptly returned to a drum reconditioner. All other containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations. For work on tanks refer to Occupational Safety and Health Administration regulations, ANSI Z49.1, and other governmental and industrial references pertaining to cleaning, repairing, welding, or other contemplated operations.